

176 MITTEL DRIVE, WOOD DALE, IL 60191

CRETORS COOLING WITH FAN P/N CBAS or ES -__

120 Volt, Single Phase, 60 Hz

230 Volt, Single Phase, 50 Hz



READ and **UNDERSTAND** these operating and safety instructions before operating this popcorn machine

SAFETY FIRST



The information in this manual is essential for the safe installation and of your Cretors machine. The manual must be read and understood before installing, and operating this equipment, or equivalent training must be provided.



"The employer shall instruct each employee in the recognition and avoidance of unsafe conditions and the regulations applicable to his work environment to control or eliminate any hazards or other exposure to illness or injury". Ref.: 29 CFR 1926.20 (b)(4)(a)(2)



It is understood that safety rules within individual companies vary. If a conflict exists between the safety procedures contained in this manual and the rules of a using company, the more stringent rule should take precedence.

I INTRODUCTION

This manual is filled with timesaving and money-saving information regarding your Cretors machine. There is nothing, however, more important than the safety aids and warnings that are found throughout this document. The Safety Alert Symbol is used to identify topics of primary safety concern wherever they appear. Furthermore, a separate section has been included which deals exclusively with operation and accident prevention.

If, after reviewing this manual, anything is unclear or technical problems are encountered, contact the dealer from whom you purchased your machine for assistance and if there are any additional questions, feel free to contact our Customer Service Department at the address and/or phone number listed on the front and back covers of this manual. Always have the model and serial number of your machine available to assist in obtaining the correct information.

II SAFETY ALERT SYMBOL

The symbol shown below is used to call your attention to instructions concerning your personal safety and the safety of others. Watch this symbol. It points out important safety precautions. It means "ATTENTION! Become Alert! Your personal safety is involved!" Read the message that follows and be alert to the risk of personal injury or death.



III PURPOSE OF MANUAL



This instruction manual is intended to familiarize owners with the operation and safety procedures associated with your Cretors machine.

This manual should be kept available to operating personnel.

A person who has not read and understood all operating and safety instructions is not qualified to operate the machine.

IV PRODUCT IDENTIFICATION

CRETORS COOOLING TABLE

ELECTRICAL SPECIFICATIONS: Cooling tables are available in the following Electrical configurations:

120Volt, Single Phase, 60 Hz 230Volt, Single Phase, 50 Hz

P/N CB S COOLING TABLE

Electrical: 120V, 60Hz, 2Amps / 230, 50Hz, 1A

Dimensions: 71"L x 39"W x 34.5"H (180cmL x 98cmW x 87cmH)

Net Weight: Approx. 40 lbs. (18 kg)

V INSTALLATION

This machine should be placed in a prominent location and set reasonably level.

See bag filler section for mounting instructions if supplied.



Do not connect to a higher voltage or different type current than indicated above or damage will result for which we cannot assume responsibility.

VI OPERATION

- 1. Plug in power cord to correct voltage outlet.
- 2. Press lighted rocker switch to ON to start cooling fan.
- **3.** Turn OFF the blower fan when finished and clean table. The screens are removable for cleaning below the screens.
- **4.** Bag fillers are typically supplied and can be used for easily filling bags or containers. Leave chute closed unit bag is mounted using clips, then slide open to fill.
- **5.** If table is ordered with Popper or CMD, the fan switch may be located on the popper/cmd rather then the cooling fan box.

Assemble the Bag Filler:

- 1. Place the BAG FILLER TOP upon the BAG FILLER BOTTOM, so that the holes line up and the lips line up toward the front. Place the BAG FILLER SLIDE into place as you do this. Secure the assembly with four 1/4-20 x 3/8 BOLTS, four 1/4 STAR LOCKWASHERS, and four 1/4-20 CAP NUTS. Be sure to feed the BOLTS through from the top, and place the LOCKWASHERS on the bottom side, near the CAP NUTS. Tighten.
- 2. Turning the bag filler on its side to expose the bottom, install the bag clips on either side below. Use two 10-24 x 3/4 SCREWS, two 3/8 SS SPACERS, two FASTENERS, two #10 STAR LOCKWASHERS, and two 10-24 CAP NUTS. Be sure to position the FASTENERS on the outside, with 3/8 SS SPACERS between SCREW and FASTENER. Be sure the Ludwig name is on the outside and right-side up. There will be tension between the clip and the bag filler wall. On the inside, place a #10 LOCKWASHER, and secure clips with 10-24 CAP NUTS. Tighten well.
- 3. Screw the bag filler to the table. Use four 1/4-20 x 3/8 BOLTS, four 1/4 STAR LOCKWASHERS, and four 1/4-20 CAP NUTS. Be sure to feed the bolts through from the outside to the inside of the table, and place the LOCKWASHERS on the inside wall of the table. Tighten.



VII CLEANING & SANITATION



Be certain the machine is turned 'OFF' and power is unplugged before sanitizing this machine. Failure to do so could result in injury.

CAUTION: Do not get the filter or motors wet.

CAUTION: Keep hands clear of fan blades.

Clean unit every day. Perform the following:

- Wipe all external surfaces with proprietary stainless steel cleaner or warm damp cloth and dry thoroughly.
- Remove screens from machine. Wash in hot soapy water, rinse, and dry. Vacuum debris from bottom of table. Replace screens
- Check filters and replace as required.



CAUTION: This appliance shall not be cleaned with a water jet.

This manual is filled with timesaving and money-saving information regarding your Cretors machine. There is nothing, however, more important than the safety aids and warnings found throughout this document.

If you have any questions, contact your local dealer and if there are any additional questions, feel free to contact the Customer Service Department at C. Cretors and Company.

Additional copies of this manual can be obtained from C. Cretors and Company at the address listed below. Please provide model and serial number when requesting additional copies of this manual. There will be a nominal charge for additional copies.

Cretors guarantees this machine to be free of defects in parts, materials and workmanship for two year. Please take this time to fill out the factory registration card and return it to the factory to activate your warranty. If you have any questions concerning the Cretors' warranty, please contact your local dealer or the Customer Service department at C. Cretors and Company.



C. CRETORS AND COMPANY 176 MITTEL DRIVE WOOD DALE, IL 60191